

表 1593 出口部感染罹患回数(回/年) 現在施行中のPD歴(年)別 (腹膜透析患者)

PD歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1年未満	1,033	152	23	6	3						1,217	1	94	1,312
(%)	(84.9)	(12.5)	(1.9)	(0.5)	(0.2)						(100.0)			
1年～	860	165	56	23	4		1	1		1	1,111		96	1,207
(%)	(77.4)	(14.9)	(5.0)	(2.1)	(0.4)		(0.1)	(0.1)		(0.1)	(100.0)			
2年～	1,109	207	62	25	7	2	3	2			1,417		101	1,518
(%)	(78.3)	(14.6)	(4.4)	(1.8)	(0.5)	(0.1)	(0.2)	(0.1)			(100.0)			
4年～	604	105	26	15	5	2	2				759	1	62	822
(%)	(79.6)	(13.8)	(3.4)	(2.0)	(0.7)	(0.3)	(0.3)				(100.0)			
6年～	323	37	14	3	1		1				379		28	407
(%)	(85.2)	(9.8)	(3.7)	(0.8)	(0.3)		(0.3)				(100.0)			
8年～	134	18	5	2							159		23	182
(%)	(84.3)	(11.3)	(3.1)	(1.3)							(100.0)			
10年～	181	13	4	3	1						202	1	13	216
(%)	(89.6)	(6.4)	(2.0)	(1.5)	(0.5)						(100.0)			
合計	4,244	697	190	77	21	4	7	3		1	5,244	3	417	5,664
(%)	(80.9)	(13.3)	(3.6)	(1.5)	(0.4)	(0.1)	(0.1)	(0.1)		(0.0)	(100.0)			
記載なし	200	54	22	7	1						284		2,667	2,951
(%)	(70.4)	(19.0)	(7.7)	(2.5)	(0.4)						(100.0)			
総計	4,444	751	212	84	22	4	7	3		1	5,528	3	3,084	8,615
(%)	(80.4)	(13.6)	(3.8)	(1.5)	(0.4)	(0.1)	(0.1)	(0.1)		(0.0)	(100.0)			
平均	3.21	2.85	3.11	3.30	3.56	4.13	3.81	2.61		1.00	3.16	5.28	3.22	3.17
標準偏差	3.19	2.51	2.85	2.86	3.54	1.24	1.72	0.69			3.09	5.62	3.00	3.08

数値下のかっこ内は行方向の合計に対する%です。

##D6614##

(C)Japanese Society for Dialysis Therapy

2016年調査