

文 献

5-1. 神経疾患

5-1-a-1) 多系統萎縮症

- 1) Adams R, van Bogaert L, van der Eecken H : Dégénérescences nigro-striées et cérébello-nigro-striées. Unicité clinique et variabilité pathologique des dégénérescences préséniles à forme de rigidité extrapyramidale. *Psychiatr Neurol (Basel)* 142 : 219-259, 1961.
- 2) Adams RD, van Bogaert L, Vander Eecken H : Striato-nigral degeneration. *J Neuropathol Exp Neurol* 23 : 584-608, 1964.
- 3) Bakker, SP : Atrophie olivo-pontocerebellaris. *Z Gesamte Neurol Psychiatr* 89 : 213-246, 1924.
- 4) The Consensus Committee of the American Autonomic Society and the American Academy of Neurology : Consensus statement on the definition of orthostatic hypotension, pure autonomic failure, and multiple system atrophy. *Neurology* 46 : 1470, 1996.
- 5) Daniel SE : The neuropathology and neurochemistry of multiple system atrophy. Mathias CJ, Sir Bannister R (ed), *Autonomic failure, A textbook of clinical disorders of the autonomic nervous system*, 4th ed, p.321, Oxford Univ Press, 1999.
- 6) Dejerine J, Thomas A : L'atrophie olivo-ponto-cérébelleuse. *Nouv Iconogr Salpétrière* 13 : 330. 1900.
- 7) Gilman S, Low PA, Quinn N, et al. : Consensus statement on the diagnosis of multiple system atrophy, *Clin Auton Res* 8 : 359-462, 1998 ; *J Neurol Sci* 163 : 94-98, 1999.
- 8) Graham JG, Oppenheimer DR : Orthostatic hypotension and nicotine sensitivity in a case of multiple system atrophy. *J Neurol Neurosurg Psychiatry* 32 : 28-34, 1969.
- 9) Papp MI, Kahn JE, Lantos PL : Glial cytoplasmic inclusions in the CNS of patients with multiple system atrophy (striatonigral degeneration, olivoponto cerebellar atrophy and Shy-Drager syndrome). *J Neurol Sci* 94 : 79-100, 1989.
- 10) 陸 重雄, 千田康博, 高橋 昭 : Shy-Drager 症候群の予後と血圧異常. *自律神経* 25 : 370-374, 1988.
- 11) Schwarz GA : The orthostatic hypotension syndrome of Shy-Drager. *Arch Neurol* 16 : 123-139, 1967.
- 12) Shy GM, Drager GA : A neurological syndrome associated with orthostatic hypotension. A clinical-pathologic study, *Arch Neurol* 2 : 511-527, 1960.
- 13) 高橋 昭 : 多系統萎縮症, 本邦第 1 例の経験から病態解析と治療へ. *自律神経* 40 : 93-98, 2003.
- 14) 高橋 昭, 高城 晋, 山本耕平, ほか : Shy-Drager 症候群, オリブ橋小脳萎縮症との関連. *臨床神経* 9 : 121-129, 1969.
- 15) Wakabayashi K, Hayashi S, Kakita A : Accumulation of α -synuclein/NACP in a cytopathological feature common to Lewy body disease and multiple system atrophy. *Acta Neuropathol (Berl)* 96 : 445-452, 1998.

5-1-a-2) パーキンソン病を伴う自律神経不全

- 1) Arahata Y, Hirayama M, Ieda T, et al. : Parieto-occipital glucose hypometabolism in Parkinson's disease with autonomic failure. *J Neurol Sci* 163 : 119-126, 1999.
- 2) Bannister R, Oppenheimer DR : Degenerative diseases of the nervous system associated with autonomic failure. *Brain* 95 : 457-474, 1972.
- 3) Bannister R, Mathias CJ : Introduction and classification of autonomic disorders. Mathias CJ, Bannister (ed), *Autonomic failure. A textbook of clinical disorders of the autonomic nervous system*, 4th ed, p. xvii-xxii, Oxford Univ Press, 1999.
- 4) Bradbury S, Eggleston C : Postural hypotension. A report of three cases. *Am Heart J* 1 : 73-86, 1925.
- 5) Fichet JP, Sternon JE, Franken L, et al. : Étude anatomo-clinique d'un cas d'hypotension orthostatique <<idiopathique>>, considérations pathogéniques. *Acta Cardiol (Brux)* 20 : 332-348, 1965.
- 6) Gelb DJ, Oliver E, Gilman S : Diagnostic criteria for Parkinson disease. *Arch Neurol* 56 : 33-39, 1999.
- 7) Gibb WRG, Less AJ : The relevance of the Lewy body to the pathogenesis of idiopathic Parkinson's disease. *J Neurol Neurosurg Psychiatry* 51 : 745-752 1992.
- 8) Gilman S, Low PA, Quinn N, et al. : Consensus statement on the diagnosis of multiple system atrophy. *J Neurol Sci* 163 : 94-98, 1999.
- 9) Hakusui S, Yasuda T, Yanagi T, et al. : A radiological analysis of heart sympathetic functions with *meta*-^[123I]iodobenzylguanidine in neurological patients with autonomic failure. *J Auton Nerv Syst* 49 : 81-84, 1994.

- 10) 長谷川康博, 高橋 昭: パーキンソン病を合併する進行性自律神経不全. 日本臨牀 50: 790-798, 1992.
- 11) Hirayama M, Hakusui S, Koike Y, et al.: A scintigraphical qualitative analysis of peripheral vascular sympathetic function with ^{123}I -metaiodobenzylguanidine in neurological patients with autonomic failure. J Auton Nerv Syst 53: 203-234, 1995.
- 12) Hughes AJ, Daniel SE, Kilford L, et al.: Accuracy of clinical diagnosis of idiopathic Parkinson's disease: a clinico-pathological study of 100 cases. J Neurol Neurosurg Psychiatry 53: 181-184, 1992.
- 13) Ieda T, Hirayama M, Niimi Y, et al.: Pharmacological assessments of cardiovascular adrenoceptor functions in five patients suffering from autonomic failure with Parkinson's disease (abstr). Clin Auton Res 5: 333, 1995.
- 14) 家田俊明, 平山正昭, 古池保雄, ほか: 自律神経機能不全症における食事性低血圧発現の病態 (9) - パーキンソン病を伴う自律神経不全における循環動態 -. 自律神経 33: 1-8, 1996.
- 15) Ieda T, Hirayama M, Niimi Y, et al.: Dementia and psychosis in autonomic failure with Parkinson's disease (abstr). Eur J Neurol 5 (Suppl. 3): S35, 1998.
- 16) 家田俊明: パーキンソン病を伴う自律神経不全. 診断と治療 87: 633-638, 1999.
- 17) Ieda T, Yoshida M, Arahaka Y, et al.: Clinicopathological study on autonomic failure with Parkinson's disease (AFPD) (abstr). Clin Auton Res 10: 163, 2000.
- 18) 家田俊明: パーキンソン病の起立性低血圧, Kinesis 6: 12-15, 2001.
- 19) 木原幹洋, 西川正悟, 高橋光雄: パーキンソン病における発汗障害. 神経内科 48: 134-138, 1998.
- 20) Kodama Y, Ieda T, Hirayama M, et al.: Auditory brainstem responses in patients with autonomic failure with Parkinson's disease and multiple system atrophy. J Auton Nerv Syst 77: 184-189, 1999.
- 21) 古池保雄, 高橋 昭: Autonomic failure with Parkinson's disease (AF with PD) 概説. 神経内科 48: 109-116, 1998.
- 22) Koike Y, Takahashi A: Autonomic dysfunction in Parkinson's disease. Eur Neurol 38 (Suppl 2): 8-12, 1997.
- 23) Magalhães M, Wenning GK, Daniel SE, et al.: Autonomic dysfunction in pathologically confirmed multiple system atrophy and idiopathic Parkinson's disease - a retrospective comparison. Acta Neurol Scand 91: 98-102, 1995.
- 24) Mathias CJ: The classification and nomenclature of autonomic disorders - ending chaos, resolving conflict and hopefully achieving clarity. Clin Auton Res 5: 307-310, 1995.
- 25) McKeith IG, Galasko D, Kosaka K, et al.: Consensus guidelines for the clinical and pathologic diagnosis of dementia with Lewy bodies (DLB): report of the consortium on DLB international workshop. Neurology 46: 1113-1124, 1996.
- 26) 名倉博史, 山之内博, 吉村正博, ほか: 広範な Lewy 小体の出現を伴い, 脊髄中間質外側部, Onuf 核の変性を示した起立性低血圧症の 1 剖検例. 神経内科 20: 157-165, 1984.
- 27) 新美由紀, 家田俊明, 平山正昭, ほか: Autonomic failure with Parkinson's disease (AF with PD) の脳波所見. 自律神経 35: 202-203, 1998.
- 28) Niimi Y, Ieda T, Hirayama M, et al.: Clinical and physiological characteristics of autonomic failure with Parkinson's disease. Clin Auton Res 9: 139-144, 1999.
- 29) Orimo S, Oka T, Miura H, et al.: Sympathetic cardiac denervation in Parkinson's disease and pure autonomic failure but not in multiple system atrophy. J Neurol Neurosurg Psychiatry 73: 776-777, 2002.
- 30) Rajput AH, Rozdilsky B: Dysautonomia in parkinsonism: a clinicopathological study. J Neurol Neurosurg Psychiatry 39: 1092-1100, 1976.
- 31) 斉藤史明, 土谷邦秋, 小寺 実: Shy-Drager 症候群を呈した Parkinson 病の 1 剖検例. 臨床神経 32: 1238-1244, 1992.
- 32) Schober R, Langston JW, Forno LS: Idiopathic orthostatic hypotension. Biochemical and pathologic observations in 2 cases. Eur Neurol 13: 177-188, 1975.
- 33) Senard JM, Raï S, Lapeyre-Mestre M, et al.: Prevalence of orthostatic hypotension in Parkinson's disease. J Neurol Neurosurg Psychiatry 63: 584-589, 1997.
- 34) Shy GM, Drager GA: A neurological syndrome associated with orthostatic hypotension. A clinical-pathologic study. Arch Neurol 2: 511-527, 1960.
- 35) Takahashi A: Autonomic nervous system disorders in Parkinson's disease. Eur Neurol 31 (Suppl 1): 41-47, 1991.
- 36) 竹内有子, 竹内茂雄, 平山正昭, ほか: Puer autonomic failure の内分泌学的検討. 自律神経 30: 365-369,

1993.

- 37) The consensus committee of the American Autonomic Society and the American Academy of Neurology : Consensus statement on the definition of orthostatic hypotension, pure autonomic failure, and multiple system atrophy. *Neurology* 46 : 1470, 1996.
 - 38) 吉村正博, 嶋田博幸, 名倉博史, ほか : Shy-Drager 症候群を呈した Lewy 型パーキンソン病の 2 剖検例 (会). *日病会誌* 69 : 432, 1980.
 - 39) 吉村正博, 名倉博史, 濱本 真, ほか : Progressive autonomic failure を呈した Lewy 小体病の臨床病理学的研究. *Dementia (Tokyo)* 6 : 395-407, 1992.
- 5-1-a-3) 純粹自律神経機能不全
- 1) 朝比奈正人, 服部孝道 : Pure autonomic failure (PAF) の鑑別診断と治療上の問題点. *神経内科* 57 : 29-34, 2002.
 - 2) Brooks DJ, Salmon EP, Mathias CJ, et al. : The relationship between locomotor disability, autonomic dysfunction, and the integrity of the striatal dopaminergic system in patients with multiple system atrophy, pure autonomic failure, and Parkinson's disease, studied with PET. *Brain* 113 : 1639-1552, 1990.
 - 3) Fulham MJ, Dubinsky RM, Polinsky RJ, et al. : Computed tomography, magnetic resonance imaging and positron emission tomography with [¹⁸F] fluorodeoxyglucose in multiple system atrophy and pure autonomic failure. *Clin Auton Res* 1 : 27-36, 1991.
 - 4) Hague K, Lento P, Morgello S, et al. : The distribution of Lewy bodies in pure autonomic failure : autopsy findings and review of the literatures. *Acta Neuropathol (Berl)* 94 : 192-196, 1997.
 - 5) 長谷川康博 : Pure autonomic failure (PAF) の疾患概念と臨床診断基準. *神経内科* 57 : 1-6, 2002.
 - 6) Hishikawa N, Hashizume Y, Hirayama M, et al. : Brainstem-type Lewy body disease presenting with progressive autonomic failure and lethargy. *Clin Auton Res* 10 : 139-143, 2000.
 - 7) Hirayama M, Hakusui S, Koike Y, et al. : A scintigraphical qualitative analysis of peripheral vascular sympathetic function with meta-[¹²³I] iodobenzylguanidine in neurological patients with autonomic failure. *J Auton Nerv Syst* 53 : 230-234, 1995.
 - 8) 平山正昭, 古池保雄, 久米明人, ほか : 自律神経機能不全症における食事性低血圧発現の病態 (7) — Pure autonomic failure と多系統萎縮症患者との脳循環自動能の差異 —. *自律神経* 31 : 455-461, 1994.
 - 9) 平山正昭, 家田俊明, 古池保雄, ほか : 自律神経機能不全症における食事性低血圧の発現病態 (6) — 食事内容による消化管ペプチドの比較検討 —. *自律神経* 30 : 47-51, 1994.
 - 10) 平山正昭, 古池保雄 : 自律神経系機能検査法, 理学的検査法. *日本臨床* 714 : 487-490, 1997.
 - 11) 平山正昭, 古池保雄 : 自律神経系機能検査法, 薬理学的検査法. *日本臨床* 714 : 491-495, 1997.
 - 12) 家田俊明 : ノルアドレナリン静注試験. *日本自律神経学会編, 自律神経機能検査. 第 3 版* p.172-176, 文光堂, 2000.
 - 13) 馬淵直紀, 平山正昭, 古池保雄, ほか : Pure Autonomic Failure (PAF) の臨床所見. *自律神経* 40 : 449-454, 2003.
 - 14) 三浦裕之, 土谷邦秋, 久保寺隆行, ほか : パーキンソン病の病理所見を呈した pure autonomic failure の 1 剖検例. *臨床神経* 41 : 40-44, 2001.
 - 15) 田村直俊, 島津邦男, 山元敏正, ほか : Pure autonomic failure の臨床的特徴と疾病分類学的位置付けについて. *自律神経* 32 : 435-442, 1995.
 - 16) The consensus committee of the American Autonomic Society and the American Academy of Neurology : Consensus statement on the definition of orthostatic hypotension, pure autonomic failure, and multiple system atrophy. *Neurology* 46 : 1470, 1996.
 - 17) Thomaides T, Bleasdale-Barr K, Chaudhuri KR et al. : Cardiovascular and hormonal responses to liquid food challenge in idiopathic Parkinson's disease, multiple system atrophy, and pure autonomic failure. *Neurology* 43 : 900-904, 1993.
 - 18) van Ingelghem E, van Zandijcke M, Lammens M : Pure autonomic failure : a new case with clinical, biochemical, and necropsy data. *J Neurol Neurosurg Psychiatry* 57 : 745-747, 1994.
 - 19) Watanabe H, Saito Y, Terao S, et al. : Progression and prognosis in multiple system atrophy. An analysis of 230 Japanese patients. *Brain* 125 : 1070-1083, 2002.
- 5-1-b-1) パーキンソン病
- 1) Appenzeller O, Goss JE : Autonomic deficits in Parkinson's syndrome. *Arch Neurol* 24 : 50-57, 1971.

- 2) Cavallini A, Miceli G, Martignoni E, et al. : Cardiopressor effects of short-term treatment with cabergoline in L-dopa stable responder parkinsonian patients : relevance of postprandial hypotension. Clin Neuropharmacol 14 : 343-351, 1991.
- 3) Chaudhuri KR, Ellis C, Love-Jones S, et al. : Postprandial hypotension and parkinsonian state in Parkinson's disease. Mov Disord 12 : 877-884, 1997.
- 4) Eadie MJ, Tyrer JH : Alimentary disorders in parkinsonism. Aust Ann Med 14 : 13-22, 1965.
- 5) 長谷川康博, 岡本 進 : 著明な食事性低血圧による食後失神を主訴とした Parkinson 病. 臨床神経 32 : 1017-1021, 1992.
- 6) 長谷川康博, 高橋 昭 : パーキンソン病を合併する進行性自律神経不全. 日本臨床 50 : 790-798, 1992.
- 7) Hasegawa Y, Mukai E, Matsuoka Y, et al. : Postprandial hypotension in Parkinson disease : the role of vasoactive gut-substances. Eur J Neurol 3 (Suppl 5) : 182, 1996.
- 8) 長谷川康博 : 血圧調節障害の治療—起立性低血圧・臥位高血圧/食事性低血圧. 神経治療 13 : 229-236, 1996.
- 9) 長谷川康博 : パーキンソン病の診かたと対応. 各種症状の診かたと治療. 自律神経障害. 老化と疾患 9 : 44-51, 1996.
- 10) 長谷川康博 : パーキンソン病の食事性低血圧における血中カテコールアミン, ペプチドなどの変化. Prog Med 17 : 500-506, 1997.
- 11) 長谷川康博 : 自律神経症候. パーキンソン病—診断と治療—, 柳澤信夫編, p.27-34, 金原出版, 2000.
- 12) 長谷川康博, 高城 晋 : Levodopa 内服により食事性低血圧・起立性低血圧の増強を伴いめまいが誘発された Parkinson 病の 1 例. 神経内科 56 : 59-62, 2002.
- 13) 長谷川康博 : Parkinson 病の自律神経障害. 後藤文男, 高倉公明, 木下真男, ほか編, Annual Review 神経 2000, p.209-216, 中外医学社, 2000.
- 14) 長谷川康博, 新美由紀, 白水重尚, ほか : パーキンソン病における起立性低血圧と立ちくらみなどの体位性症候との関係. 自律神経 39 : 272-277, 2002.
- 15) Hillen ME, Sage JI : Nonmotor fluctuations in patients with Parkinson's disease. Neurology 47 : 1180-1183, 1996.
- 16) 平山正昭, 家田俊明, 長谷川康博 : Parkinson 病の食事性低血圧. 神経内科 48 : 129-133, 1998.
- 17) 家田俊明, 平山正昭, 古池保雄, ほか : 自律神経機能不全症における食事性低血圧発現の病態(9)—パーキンソン病を伴う自律神経不全症における循環動態—. 自律神経 33 : 1-8, 1996.
- 18) 北 耕平 : パーキンソン病の自律神経障害の特徴と対策. KINESIS (Adv Mov Neurosci) 6 : 8-11, 2001.
- 19) Loew F, Gauthey L, Koerffy A, et al. : Postprandial hypotension and orthostatic blood pressure responses in elderly Parkinson's disease patients. J Hypertension 13 : 1291-1297, 1995.
- 20) Martignoni E, Miceli G, Cavallini A, et al. : Autonomic disorders in idiopathic parkinsonism. J Neural Transm (Suppl) 22 : 149-161, 1986.
- 21) Martignoni E, Pacchetti C, Godi L, et al. : Autonomic disorders in Parkinson's disease. J Neural Transm 45 (Suppl) : 11-19, 1995.
- 22) Miceli G, Martignoni E, Cavallini A, et al. : Postprandial and orthostatic hypotension in Parkinson's disease. Neurology 37 : 386-393, 1987.
- 23) Nakajima S, Otsuka K, Yamanaka T, et al. : Ambulatory blood pressure and postprandial hypotension. Am Heart J 124 : 1669-1671, 1992.
- 24) 野崎園子, 姜 進, 宮井一郎, ほか : パーキンソン病における食事性低血圧—出現率と発症因子の検討—. 臨床神経 33 : 1135-1139, 1993.
- 25) 大塚邦明, 渡辺晴雄 : 新しい自律神経機能検査としての食後の低血圧 postprandial hypotension. 自律神経 27 : 310-318, 1990.
- 26) Parkinson J : An essay on the shaking palsy. Sherwood, London, 1817
- 27) Santambrogio L, Bellomo G, Mercuri M, et al. : Sympathetic vascular function in patients with central dysautonomia. J Neural Transm (Suppl) 33 : 111-114, 1991.
- 28) 千田康博, 古池保雄, 松岡幸彦, ほか : 自律神経機能不全症における食事性起立性低血圧—経口ブドウ糖負荷試験による検討—. 自律神経 26 : 423-428, 1989.
- 29) Seyer-Hansen K : Postprandial hypotension. Br Med J 2 : 1262, 1977.
- 30) 下山良二, 中島健二, 高橋和郎 : パーキンソン病の食事性低血圧における経頭蓋超音波ドップラー法による

脳血流の検討. 自律神経 32 : 453-460, 1995.

- 31) Takahashi A : Autonomic nervous system disorders in Parkinson's disease. Eur Neurol 31(Suppl 1) : 41-47, 1991.
 - 32) 田村直俊, 島津邦男 : 自律神経症状. Clin Neurosci 12 : 993-995, 1994.
 - 33) Thomaides T, Bleasdale-Barr K, Chaudhuri KR, et al. : Cardiovascular and hormonal responses to liquid food challenge in idiopathic Parkinson's disease, multiple system atrophy, and pure autonomic failure. Neurology 43 : 900-904, 1993.
 - 34) 豊倉康夫, 萬年 徹, 岩田 誠 : パーキンソン病の原著と全訳. 豊倉康夫, 萬年 徹, 高須俊明, ほか編, p.122-123, 三共株式会社, 1976.
 - 35) 宇尾野公義 : パーキンソンニズムと自律神経障害. 自律神経 10 : 163-170, 1973.
- 5-1-b-2) レヴィ小体型痴呆／びまん性レヴィ小体病
- 1) Ballard C, Shaw F, McKeith I, et al. : High prevalence of neurovascular instability in neurodegenerative dementias. Neurology 51 : 1760-1762, 1998.
 - 2) 長谷川康博 : Pure autonomic failure (PAF) の疾患概念と臨床診断基準. 神経内科 57 : 1-6, 2002.
 - 3) 長谷川康博, 高城 晋 : Levodopa 内服により食事性低血圧・起立性低血圧の増強を伴いめまいが誘発された Parkinson 病の 1 例. 神経内科 56 : 59-62, 2002.
 - 4) 長谷川康博 : Lewy 小体型痴呆の自律神経機能異常—自律神経不全を呈した 2 症例における検討—. 神経内科 58 : 485-490, 2003.
 - 5) 長谷川康博, 新美由紀, 高城 晋, ほか : 'Probable' DLB における食事性低血圧・起立性低血圧. 自律神経 40 : 367-373, 2003.
 - 6) 神 一敬, 佐藤信行, 久永欣哉, ほか : パーキンソン病 114 例から検討した diffuse Lewy body disease. 臨床神経 40 : 329-333, 2000.
 - 7) Kosaka K : Diffuse Lewy body disease in Japan. J Neurol 237 : 197-204, 1990.
 - 8) 小阪憲司 : びまん性 Lewy 小体病. 日内会誌 92 : 1414-1418, 2003.
 - 9) 河野親夫, 松原充隆, 稲垣俊明 : 交感神経節に多数の Lewy 小体を認めた特発性起立性低血圧症. 神経内科 4 : 568-570, 1976.
 - 10) Kuzuhara S, Yoshimura M, Mizutani T, et al. : Clinical features of diffuse Lewy body disease in the elderly : analysis of 12 cases. Perry RH (ed), *Dementia with Lewy bodies*. p.153-160, Cambridge University Press, 1996.
 - 11) Larner AJ, Mathias CJ, Rossor MN : Autonomic failure preceding dementia with Lewy bodies. J Neurol 247 : 229-231, 2000.
 - 12) McKeith IG, Galasko D, Kosaka K, et al. : Consensus guidelines for the clinical and pathologic diagnosis of dementia with Lewy bodies (DLB) : Report of the consortium on DLB international workshop. Neurology 47 : 1113-1124, 1996.
 - 13) McKeith IG, Perry EK, Perry RH : Report of the second dementia with Lewy body international workshop. Diagnosis and treatment. Neurology 53 : 902-905, 1999.
 - 14) Miceli G, Martignoni E, Cavallini A, et al. : Postprandial and orthostatic hypotension in Parkinson's disease. Neurology 37 : 386-393, 1987.
 - 15) 名倉博史, 山之内博, 吉村正博, ほか : 広汎な Lewy 小体の出現を伴い, 脊髄中間質外側部, Onuf 核の変性を示した起立性低血圧の 1 剖検例. 神経内科 20 : 157-165, 1984.
 - 16) Niimi Y, Ieda T, Hirayama M, et al. : Clinical and physiological characteristics of autonomic failure with Parkinson's disease. Clin Auton Res 9 : 139-144, 1999.
 - 17) Watanabe H, Ieda T, Katayama T, et al. : Cardiac ¹²³I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies : comparison with Alzheimer's disease. J Neurol Neurosurg Psychiatry 70 : 781-783, 2001.
 - 18) 吉村正博, 名倉博史, 濱本 真, ほか : Progressive autonomic failure を示した Lewy 小体病の臨床病理学的研究. Dementia 6 : 395-407, 1992.
 - 19) Yoshita M, Taki J, Yamada M : A clinical role for [¹²³I] MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies. J Neurol Neurosurg Psychiatry 71 : 583-588, 2001.

5-1-c-1) アルツハイマー病

- 1) Aharon-Peretz J, Harel T, Revach M, et al. : Increased sympathetic and decreased parasympathetic cardiac

- innervation in patients with Alzheimer's disease. *Arch Neurol* 49 : 919-922, 1992.
- 2) Algotsson A, Viitanen M, Winblad B, et al. : Autonomic dysfunction in Alzheimer's disease. *Acta Neurol Scand* 91 : 14-18, 1995.
 - 3) Alzheimer A : Über eine eigenartige Erkrankung der Hirnrinde. *Allgem Z Psychiatr Psychisch-Gerichtl Med* 64 : 146-148, 1907.
 - 4) American Psychiatric Association : Diagnostic and statistical manual of mental disorders. 3rd ed, revised (DSM-III-R), Washington DC, 1987.
 - 5) American Psychiatric Association : Diagnostic and statistical manual of mental disorders. 4th ed, (DSM-IV), Washington DC, 1994.
 - 6) Borson S, Barnes RF, Veith RC, et al. : Impaired sympathetic nervous system response to cognitive effort in early Alzheimer's disease. *J Gerontol* 44 : M8-M12, 1989.
 - 7) Chu C-C, Tranel D, Damasio AR, et al. : The autonomic-related cortex : pathology in Alzheimer's disease. *Cereb Cortex* 7 : 86-95, 1997.
 - 8) Elmståhl S, Petersson M, Lilja B, et al. : Autonomic cardiovascular responses to tilting in patients with Alzheimer's disease and in healthy elderly women. *Age Ageing* 21 : 301-307, 1992.
 - 9) Franceschi M, Ferini-Strambi L, Minicucci F, et al. : Signs of cardiac autonomic dysfunction during sleep in patients with Alzheimer's disease. *Gerontology* 32 : 327-334, 1986.
 - 10) Giubilei F, Strano S, Imbimbo BP, et al. : Cardiac autonomic dysfunction in patients with Alzheimer disease : possible pathogenetic mechanisms. *Alz Dis Assoc Disord* 12 : 356-361, 1998.
 - 11) Grünberger J, Linzmayer L, Walter H, et al. : Receptor test (pupillary dilatation after application of 0.01 % tropicamide solution) and determination of central nervous activation (Fourier analysis of pupillary oscillations) in patients with Alzheimer's disease. *Neuropsychobiology* 40 : 40-46, 1999.
 - 12) 長谷川康博 : アルツハイマーの生家を訪れて. *日醫新報* No. 4093 : 49-50, 2002.
 - 13) Heun R, Knappertz V, Kraemer G : Transcranial doppler sonography in dementia of Alzheimer type. *Dementia* 5 : 327-333, 1994.
 - 14) Idiaquez J, Rios L, Sandoval E : Postprandial hypotension in Alzheimer's disease. *Clin Auton Res* 7 : 119-120, 1997.
 - 15) 池田和彦 : アロイス・アルツハイマーの生涯. *アルツハイマー病の誕生をめぐって*. *ミクロスコーピア* 11 : 2-11, 1994.
 - 16) Jhee SS, Sramek JJ, Wardle TS, et al. : Orthostasis in Alzheimer's disease : a retrospective analysis. *Alz Dis Assoc Disord* 9 : 243-246, 1995.
 - 17) Katzman R, Hill LR, Yu ESH, et al. : The malignancy of dementia. Predictors of mortality in clinically diagnosed dementia in a population survey of Shanghai, China. *Arch Neurol* 51 : 1220-1225, 1994.
 - 18) Lampe TH, Veith RC, Plymate SR, et al. : Pressor, norepinephrine and pituitary responses to two TRH doses in Alzheimer's disease and normal older men. *Psychoneuroendocrinology* 14 : 311-320, 1989.
 - 19) Lewey FH : Alois Alzheimer (1864-1915). Haymaker W (ed), *The Founders of Neurology*, One hundred and thirty-three biographic sketches by eighty-four authors, p.165-168, Charles C Thomas, 1953.
 - 20) Martins C, Gambert SR, Gupta KL, et al. : Effect of age and dementia on the prevalence of cardiovascular disease. *Age* 13 : 9-11, 1990.
 - 21) Maurer K, Volk S, Gerbaldo H : Auguste D and Alzheimer's disease. *Lancet* 349 : 1546-1549, 1997.
 - 22) Maurer K, Maurer U : *Alzheimer. Das Leben eines Arztes und die Karriere einer Krankheit*, Piper Verlag, 1998.
 - 23) McKhann G, Drachmann D, Folstein M, et al. : Clinical diagnosis of Alzheimer's disease : report of the NINCDS-ADRDA work group under the auspices of Department of Health and Human Services Task Force on Alzheimer's Disease. *Neurology* 34 : 939-944, 1984.
 - 24) Minoshima S, Giordani B, Berent S, et al. : Metabolic reduction in the posterior cingulate cortex in very early Alzheimer's disease. *Ann Neurol* 42 : 85-94, 1997.
 - 25) 中村重信 : 痴呆疾患における自律神経障害. *自律神経* 40 : 344-349, 2003.
 - 26) 日本神経学会治療ガイドライン Ad Hoc 委員会 : 痴呆疾患治療ガイドライン 2002. *臨床神経* 42 : 781-832, 2002.
 - 27) Novak P, Novak V, Li Z, et al. : Time-frequency analysis of slow cortical activity and cardiovascular

- fluctuations in a case of Alzheimer's disease. Clin Auton Res 4 : 141-148, 1994.
 - 28) Otsuka A, Mikami H, Katahira K, et al. : Absence of nocturnal fall in blood pressure in elderly persons with Alzheimer-type dementia. J Am Geriatr Soc 38 : 973-978, 1990.
 - 29) Parvizi J, Hoese GW, Damasio A : The selective vulnerability of brainstem nuclei to Alzheimer's disease. Ann Neurol 49 : 53-66, 2001.
 - 30) Passant U, Warkentin S, Karlson S, et al. : Orthostatic hypotension in organic dementia : relationship between blood pressure, cortical blood flow and symptoms. Clin Auton Res 6 : 29-36, 1996.
 - 31) Passant U, Warkentin S, Gustafson L : Orthostatic hypotension and low blood pressure in organic dementia : a study of prevalence and related clinical characteristics. Int J Geriatr Psychiatry 12 : 395-403, 1997.
 - 32) Prinz PN, Christie C, Smallwood R, et al. : Circadian temperature variation in healthy aged and in Alzheimer's disease. J Gerontol 39 : 30-35, 1984.
 - 33) Raskind MA, Peskind ER, Halter JB, et al. : Norepinephrine and MHPG levels in CSF and plasma in Alzheimer's disease. Arch Gen Psychiatry 41 : 343-346, 1984.
 - 34) Siennicki-Lantz A, Lilja B, Elmstahl S : Orthostatic hypotension in Alzheimer's disease : result or cause of brain dysfunction? Aging Clin Exp Res 11 : 155-160, 1999.
 - 35) Smirne S, Strambi LF, Zucconi M, et al. : Cardiac autonomic dysfunction during sleep in some neurological disease. Neurophysiol Clin 20 : 131-136, 1990.
 - 36) 杉野正一, 南條悦子, 大友英一 : アルツハイマー型痴呆における自律神経機能異常. 臨床神経 27 : 68-73, 1987.
 - 37) 高橋 昭, 亀山 隆, 伊藤泰広ほか : Alzheimer の墓を訪ねて. 神経内科 43 : 577-581, 1995.
 - 38) 田邊敬貴 : 痴呆の症候学. 山鳥 重, 彦坂興秀, 河村 満, ほか編, 医学書院, 2000.
 - 39) Vitiello B, Veith RC, Molchan SE, et al. : Autonomic dysfunction in patients with dementia of the Alzheimer type. Biol Psychiatry 34 : 428-433, 1993.
 - 40) Wang S-J, Liao K-K, Fuh J-L, et al. : Cardiovascular autonomic functions in Alzheimer's disease. Age Ageing 23 : 400-404, 1994.
 - 41) World Health Organization : International statistical classification of disease and related health problems. 10th ed (ICD-10), Vol 11, 1992.
 - 42) 山元敏正, 島津邦男, 田村直俊, ほか : Alzheimer 型痴呆および多発脳梗塞痴呆における自律神経機能—血行力学的検討—. 臨床神経 30 : 1020-1022, 1990.
- 5-1-c-2) 前頭側頭型痴呆
- 1) 出井里佳, 齋藤由扶子, 山名知子ら : 起立性低血圧を伴った筋萎縮性側索硬化症 (抄). 臨床神経 37 : 1063, 1997.
 - 2) 長谷川康博, 高城 晋, 吉田真理, ほか : 「痴呆を伴う筋萎縮性側索硬化症」と起立性低血圧—1 剖検症例の呈示と前頭側頭型痴呆症例における自律神経障害についての考察. 自律神経 38 : 160-164, 2001.
 - 3) Ieda T, Hirayama M, Niimi Y, et al. : A case of amyotrophic lateral sclerosis with orthostatic hypotension (abstr). Clin Auton Res 6 : 290-291, 1996.
 - 4) Kosaka K, Iseki E : Recent advances in dementia research in Japan : non-Alzheimer-type degenerative dementias. Psychiatr Clin Neurosci 52 : 367-373, 1998.
 - 5) Low PA, Schondorf R, Novak V, et al. : Postural tachycardia syndrome. In Clinical Autonomic Disorders, 2nd ed, Low PA (ed), p.681-697, Lippincott-Raven, 1997.
 - 6) Low PA, Ahlskog JE, Petersen RC, et al. : Autonomic failure in Guamanian neurodegenerative disease. Neurology 49 : 1031-1034, 1997.
 - 7) Lund and Manchester groups : Clinical and neurological criteria for frontotemporal dementia. J Neurol Neurosurg Psychiatry 57 : 416-418, 1994.
 - 8) Mitsuyama Y, Takamiya S : Presenile dementia with motor neuron disease in Japan : a new entity ? Arch Neurol 36 : 592-593, 1979.
 - 9) Mitsuyama Y : Presenile dementia with motor neuron disease. Dementia 4 : 137-142, 1993.
 - 10) Noda K, Katayama S, Watanabe C, et al. : Pure autonomic failure with motor neuron disease : report of a clinical study and postmortem examination of a patient. J Neurol Neurosurg Psychiatry 60 : 351-352, 1996.
 - 11) Passant U, Warkentin S, Karlson S, et al. : Orthostatic hypotension in organic dementia : relationship

between blood pressure, cortical blood flow and symptoms. Clin Auton Res 6 : 29-36, 1996.

- 12) Passant U, Warkentin S, Gustafson L : Orthostatic hypotension and low blood pressure in organic dementia : a study of prevalence and related clinical characteristics. Int J Geriatr Psychiatry 12 : 395-403, 1997.
- 13) Snowden JS, Neary D, Mann DMA : Fronto-temporal dementia. In Fronto-Temporal Lobar Degeneration : Fronto-temporal dementia, progressive aphasia, semantic dementia. p.11, Churchill Livingstone, 1996.
- 14) 田村直俊, 島津邦男, 山元敏正, ほか : 運動ニューロン疾患と起立性低血圧. 自律神経 34 : 250-255, 1997.
- 15) Yamashita A, Koike Y, Takahashi A, et al. : Relationship between respiratory failure and plasma noradrenaline levels in amyotrophic lateral sclerosis. Clin Auton Res 7 : 173-177, 1997.
- 16) 吉田眞理, 村上信之, 橋詰良夫, ほか : 痙攣を伴う運動ニューロン疾患 13 例の臨床病理学的検討. 臨床神経 32 : 1193-1202, 1992.

5-1-c-3) 進行性核上性麻痺

- 1) 饗場郁子, 齋藤由扶子, 奥田 聡, ほか : 剖検例からみた進行性核上性麻痺臨床像. 神経内科 56 : 143-149, 2002.
- 2) Brefel-Courbon C, Thalamas C, Rascol O, et al. : Lack of autonomic nervous dysfunction in progressive supranuclear palsy, a study of blood pressure variability. Clin Auton Res 10 : 309-312, 2000.
- 3) Ghika J, Bogousslavsky J : Presymptomatic hypertension is a major feature in the diagnosis of progressive supranuclear palsy. Arch Neurol 54 : 1104-1108, 1997.
- 4) Golbe LI, Davis PH, Schoenberg BS, et al. : Prevalence and natural history of progressive supranuclear palsy. Neurology 38 : 1031-1034, 1988.
- 5) Golbe LI : Epidemiology. Litvan I, Agid Y (eds). Progressive supranuclear palsy. Clinical and research approaches, p.34-43, Oxford Univ Press, 1992.
- 6) Gutrecht JA : Autonomic cardiovascular reflexes in progressive supranuclear palsy. J Auton Nerv Syst 39 : 29-36, 1992.
- 7) 長谷川康博 : 進行性核上性麻痺の食事性低血圧-多系統萎縮症との比較検討-. Prog Med 18 : 1475-1481, 1998.
- 8) 長谷川康博, 高橋 昭 : 進行性核上性麻痺の食事性低血圧-ぶどう糖経口負荷試験による検討-. 自律神経 34 : 359-365, 1997.
- 9) 長谷川康博, 白水重尚, 古池保雄, ほか : 進行性核上性麻痺における起立性低血圧. 自律神経 36 : 48-55, 1999.
- 10) Kato T, Hirano A, Weinberg MN, et al. : Spinal cord lesions in progressive supranuclear palsy : some new observations. Acta Neuropathol (Berl) 71 : 11-14, 1986.
- 11) Kimber J, Mathias CJ, Lees AJ, et al. : Physiological, pharmacological and neurohormonal assessment of autonomic function in progressive supranuclear palsy. Brain 123 : 1422-1430, 2000.
- 12) Litvan I, Agid Y, Calne D, et al. : Clinical research criteria for the diagnosis of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) : report of the NINDS-SPSP international workshop. Neurology 47 : 1-9, 1996.
- 13) Maher ER, Lees AJ : The clinical features and natural history of the Steele-Richardson-Olszewski syndrome (progressive supranuclear palsy). Neurology 36 : 1005-1008, 1986.
- 14) 森松光紀 : 進行性核上性麻痺, 大脳皮質基底核変性症. 日内会誌 92 : 1485-1492, 2003.
- 15) 小田雅也 : 病理解剖からみた自律神経系-変性疾患を中心-. 自律神経 33 : 353-364, 1996.
- 16) Richardson JC, Steele J, Olszewski J : Supranuclear ophthalmoplegia, pseudobulbar palsy, nuchal dystonia and dementia. Trans Am Neurol Assoc 88 : 25-29, 1963.
- 17) Sakakibara R, Hattori T, Tojo M, et al. : Micturitional disturbance in progressive supranuclear palsy. J Auton Nerv Syst 45 : 101-106, 1993.
- 18) Sandroni P, Ahlskog JE, Fealey RD, et al. : Autonomic involvement in extrapyramidal and cerebellar disorders. Clin Auton Res 1 : 147-155, 1991.
- 19) 佐々木石雄, 竹内博明, 出口一志, ほか : 進行性核上性麻痺における自律神経機能の検討-パーキンソン病および健常対照との比較-. 臨床神経 34 : 975-979, 1994.
- 20) Scaravilli T, Pramstaller PP, Salerno A, et al. : Neuronal loss in Onuf's nucleus in three patients with progressive supranuclear palsy. Ann Neurol 48 : 97-101, 2000.

- 21) Steele JC, Richardson JC, Olszewski J : Progressive supranuclear palsy : a heterogenous degeneration involving the brain stem, basal ganglia and cerebellum with vertical gaze and pseudobulbar palsy, nuchal dystonia and dementia. *Arch Neurol* 10 : 333-359, 1964.
- 22) Taki J, Nakajima K, Hwang E-H, et al. : Peripheral sympathetic dysfunction in patients with Parkinson's disease without autonomic failure is heart selective and disease specific. *Eur J Nucl Med* 27 : 566-573, 2000.
- 23) 田村直俊, 島津邦男, 山元敏正, ほか : 進行性核上性麻痺・大脳皮質基底核変性症の自律神経障害—運動ニューロン疾患との類似性について—. *自律神経* 35 : 404-409, 1998.
- 24) Vallderiola F, Valls-Solé J, Tolosa ES, et al. : Striated anal sphincter denervation in patients with progressive supranuclear palsy. *Mov Disord* 10 : 550-555, 1995.
- 25) Van Dijk JG, Haan J, Koenderink M, et al. : Autonomic nervous function in progressive supranuclear palsy. *Arch Neurol* 48 : 1083-1084, 1991.
- 26) 若月 晶, 辻畑正雄, 三宅 修, ほか : 進行性核上性麻痺における排尿障害の検討と排尿レベルの有用性について. *泌尿紀要* 39 : 891-897, 1993.
- 27) Wenning GK, Scherfler C, Granata R, et al. : Time course of symptomatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes : a clinicopathological study. *J Neurol Neurosurg Psychiatry* 67 : 620-623, 1999.
- 28) 山名知子, 三輪 茂, 長谷川康博, ほか : 本院で経験した進行性核上性麻痺—臨床症候・検査所見の特徴—. *名古屋市立病院紀要* 24 : 11-15, 2001.
- 29) 吉田光宏, 林 理之, 平井俊策 : Iodine 123-labeled meta-iodobenzylguanidine 心筋シンチグラフィの検討—パーキンソン病と多系統萎縮症, 進行性核上性麻痺—. *臨床神経* 37 : 476-482, 1997.

5-1-d. 脳血管障害

- 1) Appenzeller O, Goss JE : Glucose and baroreceptor function. Effects of oral administration of glucose on baroreceptor function in cerebrovascular disease and in other disorders with baroreceptor reflex block. *Arch Neurol* 23 : 137-146, 1970.
- 2) 伊佐勝憲, 渡嘉敷崇, 田名 毅, ほか : 食後低血圧が関与したと考えられる hemodynamic brain infarction の 1 例. *臨床神経* 42 : 959-962, 2002.
- 3) Kamata T, Yokota T, Furukawa T, et al. : Cerebral ischemic attack caused by postprandial hypotension. *Stroke* 25 : 511-513, 1994.
- 4) Kohara K, Jiang Y, Igase M, et al. : Postprandial hypotension is associated with asymptomatic cerebrovascular damage in essential hypertensive patients. *Hypertension* 33 : 565-568, 1999.
- 5) O'Neill PA, Davies I, Fullerton KJ, et al. : Stress hormone and blood glucose response following acute stroke in the elderly. *Stroke* 22 : 842-847, 1991.
- 6) 大林光念, 木村和美, 橋本洋一郎, ほか : 食事により頻回に誘発された TIA の 1 例. *臨床神経* 35 : 1054-1056, 1995.
- 7) Robinson TG, Potter JF : Postprandial and orthostatic cardiovascular changes after acute stroke. *Stroke* 26 : 1811-1816, 1995.
- 8) 下山良二, 中島健二, 高橋和郎 : パーキンソン病の食事性低血圧における経頭蓋超音波ドップラー法による脳血流の検討. *自律神経* 32 : 453-460, 1995.
- 9) Vaitkevicius PV, Esserwein DM, Maynard AK, et al. : Frequency and importance of postprandial blood pressure reduction in elderly nursing-home patients. *Ann Intern Med* 115 : 865-870, 1991.

5-1-e. 脊髄疾患

- 1) Baliga RR, Catz AB, Watson LD, et al. : Cardiovascular and hormonal responses to food ingestion in humans with spinal transection. *Clin Auton Res* 7 : 137-141, 1997.
- 2) 国本雅也 : Autonomic dysreflexia. *神経内科* 40 : 509-515, 1994.
- 3) Mathias CJ, Bannister R : Postprandial hypotension in autonomic disorders. Mathias CJ, Bannister R (eds), *Autonomic Failure. A textbook of clinical disorders of autonomic nervous system*, 4th ed, p.283-295, Oxford Univ Press, 1999.
- 4) 小田嶋奈津, 市川 忠, 古川哲雄, ほか : 高位脊髄損傷患者における経口ぶどう糖負荷試験による血圧の変動. *自律神経* 28 : 266-269, 1991.
- 5) 服部孝道, 安田耕作 : 神経因性膀胱の診断と治療. 第 2 版, p.167, 医学書院, 1990.

5-1-f. ニューロパチー

- 1) Bannister R, Mathias CJ : Introduction and classification of autonomic disorders. Bannister R, Mathias CJ (eds), *Autonomic Failure*, 3rd ed, Oxford, p.1-12, Oxford University Press, 1992.
- 2) Hirayama M, Watanabe H, Koike Y, et al. : Postprandial hypotension : hemodynamic difference between multiple system atrophy and peripheral autonomic neuropathy. *J Auton Nerv Syst* 43 : 1-6, 1993.
- 3) Hoeldtke RD : Postprandial hypotension. Low PA (ed), *Clinical Autonomic Disorders*, 2nd ed, p.737-746, Lippincott-Raven, 1997.
- 4) Hoeldtke RD, O'Dorisio TM, Boden G : Treatment of autonomic neuropathy with a somatostatin analogue SMS-201-995. *Lancet* 2 : 602-605, 1986.
- 5) Low PA, McLeod JG : Autonomic neuropathies. Low PA (ed), *Clinical Autonomic Disorders*, 2nd ed, p.463-486, Lippincott-Raven, 1997.
- 6) 長坂高村, 田中治幸, 富樫慎治, ほか : 家族性アミロイドポリニューロパチーの食事性低血圧についての検討. *自律神経* 36 : 457-463, 1999.

5-2. 高血圧

- 1) Gladstone SA : Cardiac output and related functions under basal and postprandial conditions. A clinical study. *Arch Intern Med* 55 : 533-546, 1935.
- 2) Grodzicki T, Rajzer M, Fagard R, et al. : Ambulatory blood pressure monitoring and postprandial hypotension in elderly patients with isolated systolic hypertension. *J Hum Hypertens* 12 : 161-165, 1998.
- 3) Iwase S, Mano T, Watanabe T, et al. : Age-related changes of sympathetic outflow to muscles in humans. *J Gerontol* 46 : M1-M5, 1991.
- 4) 小原克彦 : 食事性血圧低下と無症候性脳血管障害. *血圧* 6 : 348-349, 1999.
- 5) Kohara K, Jiang Y, Igase M, et al. : Postprandial hypotension is associated with asymptomatic cerebrovascular damage in essential hypertensive patients. *Hypertension* 33 : 565-568, 1999.
- 6) Kohara K, Uemura K, Takata Y, et al. : Postprandial hypotension : evaluation by ambulatory blood pressure monitoring. *Am J Hypertens* 11 : 1358-1363, 1998.
- 7) Masuo K, Mikami H, Habara N, et al. : Orthostatic and postprandial blood pressure reduction in patients with essential hypertension. *Clin Exp Pharmacol Physiol* 18 : 155-161, 1991.
- 8) Mitro P, Feterik K, Lenártová M, et al. : Humoral mechanisms in the pathogenesis of postprandial hypotension in patients with essential hypertension. *Wien Klin Wochenschr* 113 : 424-432, 2001.
- 9) 大塚邦明, 渡邊晴雄 : 新しい自律神経機能検査としての食後の低血圧 postprandial hypotension. *自律神経* 27 : 310-318, 1990.
- 10) 佐々木恵雲, 北岡治子, 高 俊彦, ほか : インスリン非依存型糖尿病患者における食事性低血圧. *自律神経* 31 : 290-294, 1994.
- 11) 下沢達雄, 桑島 巖, 鈴木康子, ほか : 老年者高血圧例における食後低血圧の検討. *日老会誌* 29 : 661-666, 1992.
- 12) 瀧川智子, 安田 斎, 寺田雅彦, ほか : 糖尿病患者の食事性低血圧に関する検討. *糖尿病* 37 : 411-417, 1994.

5-3. 糖尿病

- 1) Alexander WD, Oake RJ : The effect of insulin on vascular reactivity to norepinephrine. *Diabetes* 26 : 611-614, 1997.
- 2) Appenzeller O, Goss JE : Glucose and baroreceptor function. Effect of oral administration of glucose on baroreceptor reflex block. *Arch Neurol* 23 : 137-146, 1970.
- 3) 長谷川康博, 松岡幸彦, 白水重尚, ほか : 食事性低血圧における腸管ペプチドの役割. *自律神経* 31 : 448-454, 1994.
- 4) Hirayama M, Watanabe H, Koike Y, et al. : Postprandial hypotension : hemodynamic differences between multiple system atrophy and peripheral autonomic neuropathy. *J Auton Nerv Syst* 43 : 1-6, 1993.
- 5) Hoeldtke RD, O'Dorisio TM, Boden G : Treatment of autonomic neuropathy with a somatostatin analogue SMS-201-995. *Lancet* 2 : 602-605, 1986.
- 6) 吉川隆一, 安田 斎 : 糖尿病と自律神経異常—糖尿病と血圧, 腎機能異常. *自律神経* 35 : 354-356, 1998.
- 7) Mathias CJ, Bannister R : Postprandial hypotension in autonomic disorders. Mathias CJ, Bannister R (ed),

Autonomic failure. A textbook of clinical disorders of the autonomic nervous system. 4th ed, p.283, Oxford University Press, 1999.

- 8) 長坂高村, 田中治幸, 富樫慎治, ほか: 家族性アミロイドポリニューロパチーの食事性低血圧についての検討. 自律神経 36 : 457-463, 1999.
- 9) 大塚邦明, 渡邊晴雄: 新しい自律神経機能検査としての食後の低血圧 postprandial hypotension. 自律神経 27 : 310-318, 1990.
- 10) 佐々木恵雲, 北岡治子, 高 俊彦, ほか: インスリン非依存型糖尿病患者における食事性低血圧. 自律神経 31 : 290-294, 1994.
- 12) 佐々木恵雲, 高 俊彦, 北岡治子, ほか: 糖尿病患者における食事性低血圧 postprandial hypotension - 血圧関連物質の動態 -. 日内泌誌 (会) 69 : 329, 1993.
- 11) 佐々木恵雲, 北岡治子, 高 俊彦, ほか: 糖尿病患者における食事性低血圧 postprandial hypotension - 血圧関連物質の動態 -. 日内泌誌 (会) 70 : 224, 1994.
- 13) Seyer-Hansen K : Postprandial hypotension. Br Med J 2 : 1262, 1977.
- 14) 瀧川智子, 安田 斎, 寺田雅彦, ほか: 糖尿病患者の食事性低血圧に関する検討. 糖尿病 37 : 411-417, 1994.

5-4. 血液透析

- 1) 飯田喜俊: 透析患者の生活指導ガイド, 改訂2版, 南江堂, 2003.
- 2) Shibagaki Y, Takeuchi K : Significant reduction of the large-vessel blood volume by food intake during hemodialysis. Clin Nephrol 49 : 49-54, 1998.
- 3) 椿原美治: 慢性腎不全患者の血圧管理 - 生命予後, QOL から見た高血圧・低血圧対策 -. 自律神経 37 : 49-55, 2000.
- 4) Zoccali C, Mallamaci F, Ciccarelli M, et al. : Postprandial alterations in arterial pressure control during hemodialysis in uremic patients. Clin Nephrol 31 : 323-326, 1989.

5-5. 高齢者

- 1) Aronow WS, Ahn C : Association of postprandial hypotension with incidence of falls, syncope, coronary events, stroke, and total mortality at 29-month follow-up in 499 older nursing home residents. J Am Geriatr Soc 45 : 1051-1053, 1997.
- 2) Bellomo G, Santucci S, Parnetti GAL : Meal-induced arterial blood pressure variations in the elderly. Gerontology 34 : 311-314, 1988.
- 3) Cohen I, Rogers P, Burke V, et al. : Predictors of medication use, compliance and symptoms of hypotension in a community-based sample of elderly men and women. J Clin Pharmac Therap 23 : 423-432, 1998.
- 4) Edwards BJ, Perry III HM, Kaiser FE, et al. : Relationship of age and calcitonin gene-related peptide to postprandial hypotension. Mech Ageing Dev 87 : 61-73, 1996.
- 5) Fagius J, Ellerfelt K, Lithell H, et al. : Increase in muscle nerve sympathetic activity after glucose intake is blunted in the elderly. Clin Auton Res 6 : 195-203, 1996.
- 6) Farnsworth TA, Heseltine D : The effect of postprandial hypotension on rehabilitation of the frail elderly with cerebrovascular disease. J Intern Med Res 22 : 77-84, 1994.
- 7) Grodzicki T, Rajzer M, Fagard R, et al. : Ambulatory blood pressure monitoring and postprandial hypotension in elderly patients with isolated systolic hypertension. J Hum Hypertens 12 : 161-165, 1998.
- 8) Haigh RA, Harper GD, Burton R, et al. : Possible impairment of the sympathetic nervous system response to postprandial hypotension in elderly hypertensive patients. J Hum Hypertens 5 : 83-89, 1991.
- 9) 長谷川康博, 平山正昭, 白水重尚, ほか: 食事性低血圧の発現機序 - 経口ぶどう糖負荷と静脈内ぶどう糖負荷との比較検討. 自律神経 30 : 470-474, 1993.
- 10) Heseltine D, Dakkak M, Woodhouse K, et al. : The effect of caffeine on postprandial hypotension in the elderly. J Am Geriatr Soc 39 : 160-164, 1991.
- 11) Idiaquez J, Rios L, Sandoval E : Postprandial hypotension in Alzheimer's disease. Clin Auton Res 7 : 119-120, 1997.
- 12) Imai C, Muratani H, Kimura Y, et al. : Effects of meal ingestion and active standing on blood pressure in patients ≥ 60 years of age. Am J Cardiol 81 : 1310-1314, 1998.
- 13) Jansen RWMM, Hoefnagels WHL : Influence of oral and intravenous glucose loading on blood pressure in

- normotensive and hypertensive elderly subjects. *J Hypertens* 5 (Suppl 5) : S501-S503, 1987.
- 14) Jansen RWMM, Peeters TL, Lenders JWM, et al. : Somatostatin analog octreotide (SMS201-995) prevents the decrease in blood pressure after oral glucose loading in the elderly. *J Clin Endocrinol Metab* 68 : 752-756, 1989.
 - 15) Jansen RWMM, Hoefnagels WHL : The influence of oral glucose loading on baroreflex function in the elderly. *J Am Geriatr Soc* 37 : 1017-1022, 1989.
 - 16) Kawaguchi R, Nomura M, Miyajima H, et al. : Postprandial hypotension in elderly subjects : spectral analysis of heart rate variability and electrogastrograms. *J Gastroenterol* 37 : 87-93, 2002.
 - 17) Kearney MT, Cowley AJ, Stubbs TA, et al. : Depressor action of insulin on skeletal muscle vasculature: a novel mechanism for postprandial hypotension in the elderly. *J Am Coll Cardiol* 31 : 209-216, 1998.
 - 18) Krajewski A, Freeman R, Ruthazer R, et al. : Transcranial doppler assessment of the cerebral circulation during postprandial hypotension in the elderly. *J Am Geriatr Soc* 41 : 19-24, 1993.
 - 19) Kuipers HMM, Jansen RWMM, Peeters TL, et al. : The influence of food temperature on postprandial blood pressure reduction and its relation to substance-P in healthy elderly subjects. *J Am Geriatr Soc* 39 : 181-184, 1991.
 - 20) Lipsitz LA, Nyquist RP, Wei JY, et al. : Postprandial reduction in blood pressure in the elderly. *N Engl J Med* 309 : 81-83, 1983.
 - 21) Lipsitz LA, Pluchino FC, Wei JY, et al. : Syncope in institutionalized elderly : the impact of multiple pathological conditions and situational stress. *J Chron Dis* 39 : 619-630, 1986.
 - 22) Lipsitz LA, Fullerton KJ : Postprandial blood pressure reduction in healthy elderly. *J Am Geriatr Soc* 34 : 267-270, 1986.
 - 23) Lipsitz LA, Pluchino FC, Wei JY, et al. : Cardiovascular and norepinephrine responses after meal consumption in elderly (older than 75 years) persons with postprandial hypotension and syncope. *Am J Cardiol* 58 : 810-815, 1986.
 - 24) Lipsitz LA, Jansen RWMM, Connelly CM, et al. : Haemodynamic and neurohumoral effects of caffeine in elderly patients with symptomatic postprandial hypotension : a double-blind, randomized, placebo-controlled study. *Clin Sci* 87 : 259-267, 1994.
 - 25) Mader SL : Effects of meals and time of day on postural blood pressure responses in young and elderly subjects. *Arch Intern Med* 149 : 2757-2760, 1989.
 - 26) Maurer MS, Karmally W, Rivadeneira H, et al. : Upright posture and postprandial hypotension in elderly persons. *Ann Intern Med* 133 : 533-536, 2000.
 - 27) Mitro P, Feterik K, Čverčková A, et al. : Occurrence and relevance of postprandial hypotension in patients with essential hypertension. *Wien Klin Wochenschr* 111 : 320-325, 1999.
 - 28) Naito Y, Tamai S, Shichino T, et al. : Simultaneous measurement of intestinal blood flow and plasma levels of vasoactive substances in a case of early dumping syndrome. *Eur J Surg* 157 : 231-233, 1991.
 - 29) Oberman AS, Gagnon MM, Kiely DK, et al. : Autonomic and neurohumoral control of postprandial blood pressure in healthy aging. *J Gerontol* 55 : M477-M483, 2000.
 - 30) Oberman AS, Harada RK, Gagnon MM, et al. : Effects of postprandial walking exercise on meal-related hypotension in frail elderly patients. *Am J Cardiol* 84 : 1130-1132, 1999.
 - 31) Potter JF, Heseltine D, Hartley G, et al. : Effects of meal composition on the postprandial blood pressure, catecholamine and insulin changes in elderly subjects. *Clin Sci* 77 : 265-272, 1989.
 - 32) Puisieux F, Bulckaen H, Fauchais AL, et al. : Ambulatory blood pressure monitoring and postprandial hypotension in elderly persons with falls or syncope. *J Gerontol* 55A : M535-M540, 2000.
 - 33) Robinson BJ, Johnson RH, Lambie DG, et al. : Autonomic responses to glucose ingestion in elderly subjects with orthostatic hypotension. *Age Ageing* 14 : 168-173, 1985.
 - 34) Rossi P, Andriess GI, Oey PL, et al. : Stomach distension increases efferent muscle sympathetic nerve activity and blood pressure in healthy humans. *J Neurol Sci* 161 : 148-155, 1998.
 - 35) Ryan SM, Goldberger AL, Ruthazer R, et al. : Spectral analysis of heart rate dynamics in elderly persons with postprandial hypotension. *Am J Cardiol* 69 : 201-205, 1992.
 - 36) Shaw FE, Kenny RA : The overlap between syncope and falls in the elderly. *Postgrad Med J* 73 : 635-639, 1997.

- 37) 島津邦男：老年者に於ける起立性低血圧と食後性低血圧. 自律神経 31 : 365-372, 1994.
- 38) 島津邦男：食後性低血圧および食後性起立性低血圧の臨床. 自律神経 40 : 1-11, 2003.
- 39) Smith GDP, Watson LP, Mathias CJ : Neurohumoral, peptidergic and biochemical responses to supine exercise in two groups with primary autonomic failure : Shy-Drager syndrome/multiple system atrophy and pure autonomic failure. Clin Auton Res 6 : 255-262, 1996.
- 40) Teramoto S, Akishita M, Fukuchi Y, et al. : Assessment of autonomic nervous function in elderly subjects with or without postprandial hypotension. Hypertens Res 20 : 257-261, 1997.
- 41) Vaitkevicius PV, Esserwein DM, Maynard AK, et al. : Frequency and importance of postprandial blood pressure reduction in elderly nursing-home patients. Ann Intern Med 115 : 865-870, 1991.
- 42) Westenend M, Lenders JWM, Thien T : The course of blood pressure after a meal : a difference between young and elderly subjects. J Hypertens 3 (Suppl 3) : S417-S419, 1985.